Application 7

State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

Seq#5792

High Capacity, School or Wastewater Treatment Plant 6 5015 Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Gode. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Paccords Laws, so 10.32, 10.30, Wisconsin Administrative Gode. and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information									
Application Prepared By (Name a	nd Title)	Company							
Robert J. Nauta, P.G.	RJN Environmental Services, LLC								
Street Address		City		State	ZIP Code				
4631 County Road A		Oregon		WI	53575				
Telephone Number 608.576.3001	Fax Number 608.835.3542		E-Mail Address rjnesllc@charter.ne	et	t				
Property Ownership Informati	lon								
	oplicant (Name of Person and Title)	Company Ellis Industries Saratoga, LLC							
Street Address 2041 County Road J		City Custer		State WI	ZIP Code 54423				
Telephone Number	Fax Number		E-Mail Address jim.wysocki@rpespud.com						
Well Operator Information									
Well operator if different than own James Wysocki	Company Wysocki Produce Farm, Inc.								
Street Address 8550 Central Sands Road	City Bancrof	t	State WI	ZIP Code 54921					
Telephone Number	Fax Number	E-Mail Address jim.wysocki@rpespud.com							
Property Information	nac occurs								
property at the time of application,	lumber below if the property is already enter "NONE." NOTE: Find the file nu- nental well data that is issued to drillers mat is as follows: (1 or 2 digits for cour	mber in upper ri s and numn inst	gnt nand corner of the most	see "File	location" in red print in				
County	Town		High Capacity	Well File	No.				
Wood	Saratoga	None							
Submittal Purpose									
Check all that apply:									
X Install one or more new we	ells with a capacity greater than 70	gallons per n	ninute.						
Install one or more new we	ells with a capacity less than 70 ga	llons per minu	ite on a high capacity pro	perty.					
Replace one or more wells	with a capacity greater than 70 ga	allons per min	ute.						
Replace one or more wells	with a capacity less than 70 gallo	ns per minute	on a high capacity prope	erty.					
	vells with a capacity greater than 7								
	vells with a capacity less than 70 g			roperty.					
	one or more wells to a rate greater								
	ion of high capacity wells after a ch			e require	d.)				
Renew a previous approva									
	school or wastewater treatment p	lant. See defi	nitions on page 5.						
Other, explain									

Site	Statu	is information (see IX) to the more section of the control of the							
and t	he in	the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers formation supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each owing questions.							
YES	NO X	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.							
	X	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:							
	X	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:							
	X	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.							
	X	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)							
	X	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:							
	X	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:							
	X	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:							
	X	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.							
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.							
	X	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?							
	X	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.							
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?							
	X	Will the well discharge directly to a storage pond?							
	X	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?							
	X	Is a proposed well within 1,200 feet of a quarry?							
	X	Is a proposed well located in a floodplain or floodway?							
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?							
	X	Will the well be used as a source of bottled water?							
	X	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?							
	X	Is the property served by a community water system?							

Existing Well Information						-,	:			- 14 - 4						
Enter the following information on	all exis	ting w	ells o	n the	prop	erty, if mo	ore tha	an four	wells,	submi	t additi	onal s	heets	:		
Well Name Assigned by Well Owner (North Well, etc.):	Non	е														
Well Number Assigned by Owner (001, 002, etc.):																
WI Unique Well Number or NA if no number:																
Permanent DNR High Capacity Well Number or N/A if none:																
Public Water System ID Number, if Public (if not public, NONE):																
Potable or Non-Potable Use:																
Type of Well (Irrigation, Industrial, Residential, etc.):																
Requested Average Water Usage per Day in Gallons:																
Requested Maximum Water Usage per Day in Gallons:					ļ											
Seasonal? (April to October, Year Around, etc.):																*************************************
Approved Pumping Capacity if Previously Approved (gpm):																
Current Pump Type & Capacity (gpm):																
Proposed Pump Type & Capacity If Change Requested (gpm):					<u> </u>											
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):										•						
Discharge Location (Building Pressure Tank, Pond, etc.):																
Height of Well Casing Above Ground in Inches:								•								
Potential Contaminant Sources and Distance:		111111111111111111111111111111111111111														
Well Loc: Quarter Quarter Section		1/4 of	f	1/4		1/4	of	1/4		1/4 (of	1/4		1/4 (of	1/4
or Government Lot Number																······
Section or French Long Lot No.																
Township:	Т			N	Т			N	T			N	T			N
Range (Select E or W):	R		ΠE		R				R		ΠE		R		ПЕ	
Latitude (Degrees and Minutes)		0			<u> </u>	0		i		0		,		0		ı
Longitude (Degrees and Minutes)		0			╁═	0	 _	 -		0		,		•		 -
GPS Map Datum (WGS84,		P	<u>:</u>		┢											
WTM91, etc.) Include as much of the following inform well construction record is attached, a	nation as	practic	al for ve	wells t	hat d	o not have	well c	onstruc	tion re	cords at	tached	to the	l applica	tion, ho	wever i	fthe
Date of Construction:			, , , , , ,		Ī											
Drilled by (Name of Drilling Firm):																
Drilling Method(s) (Rotary, Percussion, Etc.)						,							***************************************			
Well Depth in Feet:																
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	in	ches,		feet	ļ	inches,		feet		inches,		feet		inches,		feet
Lower Drillhole Diameter in Inches and Depth in Feet:		ches,		feet		Inches,		feet		nches,		feet		Inches,		feet
Well Casing Diameter in Inches and Depth in Feet:		ches,		feet		inches,		feet		nches,		feet		inches,		feet
Well Casing Material and Wall Thickness:	1	,			†											
Annular Space Material Between Casing and Drillhole Wall:			······													
Is There a Well Screen (Y or N) If so, Screen Material?:																

Proposed Well Information					1 15					
Enter the following information on all	proposed we	ells on t	he property, if	more than t	wo well	s or alternate co	onstructio	on, submit ad	lditional sh	eets:
Well Name Assigned by Well Owner (North Well, etc.):	PC55					PC56				
Well Number Assigned by Owner (001, 002, etc.):				······································					DESCRIPTION OF THE PROPERTY OF	
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/	4 of	SE 1/4 of 5	Section 23		NE 1/4	of NE	1/4 of S	Section 26	<u>}</u>
or Government Lot Number										
Township & Range (Select E or W)	Т	21	N, R 6	ΧE	□w		N,	_R 6	ΧE	W
Latitude (Degrees and Minutes)	44	0	<u> 16.</u>	860	1	44	0	<u></u>	<u>4 4 6</u>	
Longitude (Degrees and Minutes)	8_9	0	4 4.	934	1	<u>89</u>	0	44.	<u>964</u>	1
GPS Map Datum (WGS84, WTM91, etc.)				1 1					I Instab	
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: IRRI	GATIC	N	X Non-P		Type: IRRIG	ATION		X Non-F	otable
Drilling Method(s) (Rotary, Percussion, Etc.):	SEE AT	TACH	ED			SEE ATT	ACHE)		
Anticipated Geological Materials and D	epths that Are	Expect	ed During Drilli	ng:						
Material and Depth Interval:			from	0 ' to				from	0 ' to	
Material and Depth Interval:			from	' to			<u></u>	from	' to	I .
Material and Depth Interval:			from	' to	(from	' to	
Material and Depth Interval:			from	' to	•			from	' to	<u>'</u>
Material and Depth Interval:			from	' to	1			from	' to	1
Drillhole Diameter and Anticipated Dep	th Intervals:									
Diameter and Depth Interval:			from	' to			<u> </u>	from	' to	
Diameter and Depth Interval:			from	' to	:			from	' to	
Diameter and Depth Interval:			from	' to				from	' to	
Permanent Casing or Liner Diameter a	nd Wall Thicks	ess at	Anticipated De	oth Intervals	:					
Diameter and Wall Thickness at Depth Interval:	" diar	* /	" thick	0' to		" diam	4	" thick	0 ' to	
Diameter and Wall Thickness at Depth Interval:	" diar	.	" thick	' to		" diam	1	" thick_	' to	•
Permanent Casing or Liner Material , in										
Casing Joints (Welded, T and C, etc.)										
Material and Weight at Depth Interval:		1	lbs/foot	0 ' to				lbs/foot	0 ' to	
Material and Weight at Depth Interval:		,	lbs/foot	¹ to				lbs/foot	¹ to	1
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:			1 "1	' to		•	,	"1	' to	
Casing to Screen Joint (Welded, T and C, K Packer, etc.)										
Annular Space Material Including Filter	r Pack Materia	I If Use	d:							
Material and Depth Interval:	,		1	0 ' to		· <u> </u>	ل	1	0 ' to	•
Material and Depth Interval:		Y	1	' to		1	Y	1	' to	1
Proposed Average Water Usage Per Day in Gallons:	720,000					720,000				
Proposed Maximum Water Usage Per Day in Gallons:	1,440,00	0				1,440,000				
Seasonal? (April to October, Year Around, etc.):	APRIL -	ОСТО	DBER			APRIL -				<u></u>
Proposed Pump Type & Capacity (gpm):	TURBIN	IE - 1,	000 gpm			TURBINI	Ξ - 1,00	0 gpm 		
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	TOP OF	CAS	ING			TOP OF	CASIN	G		
Discharge Location (Building Pressure Tank, Pond, etc.):	CENTE	R PIV	от			CENTER	RPIVO	Γ		
Distance and Direction to Nearest Public Utility Well & Well Name: Distance to Other Potential Contaminant Sources:										
Distance to Other Potential Contaminant Sources:										
Leave Blank, for Department use only										

Proposed Well Information										
Enter the following information on all	proposed we	ells on	the property,	if more than	two well	s or alternate co	nstructio	n, submit ac	iditional she	ets:
Well Name Assigned by Well Owner (North Well, etc.):	PC60					PC61				
Well Number Assigned by Owner (001, 002, etc.):							<u></u>			
Well Loc: Quarter Quarter Section or French Long Lot Number	SE 1/	4 of	SW 1/4	of Section 2	4	NE _{1/4}	of NW	1/4 of 3	Section 25	<u>)</u>
or Government Lot Number										
Township & Range (Select E or W)	T	21	N, R 6	ΧE	□w	T 21	N, F	₹ 6	ΧE	□w
Latitude (Degrees and Minutes)	44	0	<u>1</u> 6	<u>8 1 8 </u>	(44	0	<u>16.4</u>		•
Longitude (Degrees and Minutes) GPS Map Datum (WGS84, WTM91, etc.)	<u>89</u>	٥	4	<u>4. 3 5 2</u>	,	89	0	44.	<u>3 1 0</u>	1
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: IRRI	GATI	ON	Potat X Non-I		Type: IRRIGA	ATION	<u></u>	X Non-P	-
Drilling Method(s) (Rotary, Percussion, Etc.):	SEE AT	TACI	HED			SEE ATT	ACHED			
Anticipated Geological Materials and D	epths that Are	Ехре	cted During D	rilling:						
Material and Depth Interval:			from	0 ' to				from	0 ' to	
Material and Depth Interval:			from	' to	•			from	' to	,
Material and Depth Interval:			from	' to	•			from	' to	1
Material and Depth Interval:			from	' to	1			from	' to	,
Material and Depth Interval:			from	' to	1			from	' to	1
Drillhole Diameter and Anticipated Dep	th Intervals:	-								
Diameter and Depth Interval:			from	' to				from	' to	,
Diameter and Depth Interval:			from	' to		'		from	' to_	,
Diameter and Depth Interval:			from	' to				from	' to	
Permanent Casing or Liner Diameter a	nd Wall Thickr	ess a	t Anticipated [Depth Interval	s:					
Diameter and Wall Thickness at Depth Interval:	" dian	 	" thick	0 ' to	,	" diam/		" thick	0 ' to	•
Diameter and Wall Thickness	" dian		* thick	' to		" dlam/		" thick	' to	•
at Depth Interval: Permanent Casing or Liner Material, I		<u> </u>	BIICK	iv.		1 diam		DIION		
Casing Joints (Welded, T and C,										
etc.) Material and Weight at Depth Interval:			/ lbs/for	ot 0 to			,	lbs/foot	0 ' to	•
Material and Weight at Depth Interval:			/ lbs/for	<u></u>			1	lbs/foot	' to	•
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:			/ "	'/ ' to		•	1	"1	' to	
Casing to Screen Joint (Welded, T and C, K Packer, etc.)										
Annular Space Material Including Filter	r Pack Material	IfUs	sed:							
Material and Depth Interval:		/	<u>!</u>	0' to		\	/		0 ' to	
Material and Depth Interval:				' to					' to	
Proposed Average Water Usage Per Day in Gallons: Proposed Maximum Water Usage Per	720,000					720,000		*		
Day in Gallons: Seasonal? (April to October, Year	1,440,00 APRIL -		ORFR			1,440,000 APRIL - C		-R		
Around, etc.): Proposed Pump Type & Capacity			,000 gpm	*************************************		TURBINE				
(gpm): Discharge Type (Over Top of Casing	TOP OF	CAS	SING			TOP OF (CASING	}		
Seal, Pittless Adapter or Unit): Discharge Location (Building Pressure	CENTER	 ? PI\	/OT			CENTER	PIVOT			
Tank, Pond, etc.): Distance and Direction to Nearest Public Hillity Well & Well Name:			· - •				- •			
Public Utility Well & Well Name: Distance to Other Potential										-
Contaminant Sources: Distance to Other Potential Contaminant Sources:										,
Leave Blank, for Department use only										

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print			Check Bo	x	
ROBERT NAUTA			Ow	ner 🔀	Agent of the Owner
Signature	Company				Date
Roll Jank	RVal	ENV. S	VC.		6/6/12
Application submittat. Mail completed application and pa Section - DG/2, PO Box 7921, Madison WI 53707-7921		required attach	nments to	DNR, Private	Water Systems
Definitions from Wisconsin Administrative Codes				Barrier III	
III ligh gangaity wall! magne a wall constructed on a high	canacity propa	du IND 042 07	7/64\1		

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

^{&#}x27;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

